

| Dispositivo de corte          | Categoría | Liberado en | Apoyo híbrido | Soporte de CutServer |
|-------------------------------|-----------|-------------|---------------|----------------------|
| ALS Engineering               |           |             |               |                      |
| ALS EcoJet                    | 1         | 9.00.6087   |               |                      |
| Aristo                        |           |             |               |                      |
| Aristo                        | 1         | 5.00.2515   |               |                      |
| BeDigital                     |           |             |               |                      |
| BeDigital Profiler 137        | 0         | 6.00.3000   | ✓             |                      |
| BeDigital Profiler 76         | 0         | 6.00.3000   | ✓             |                      |
| BeDigital SolCut OG           | 0         | 6.00.3000   | ✓             |                      |
| Colex                         |           |             |               |                      |
| Colex Sharpcut                | 1         | 10.34.8798  |               |                      |
| COMAC                         |           |             |               |                      |
| COMAC Comagrav                | 1         | 10.00.7007  |               |                      |
| DYSS                          |           |             |               |                      |
| DYSS                          | 1         | 7.20.4680   |               |                      |
| Elitron                       |           |             |               |                      |
| Elitron KOMBO Series          | 1         | 10.10.7535  |               |                      |
| ESKO                          |           |             |               |                      |
| ESKO i-cut Production Console | 1         | 10.31.8579  |               |                      |
| Eurosystems                   |           |             |               |                      |
| Eurosystems OptiScout         | 1         | 5.00.2704   |               |                      |

| Dispositivo de corte    | Categoría | Liberado en | Apoyo híbrido | Soporte de CutServer |
|-------------------------|-----------|-------------|---------------|----------------------|
| Evolve                  |           |             |               |                      |
| Evolve NW210            | 0         | 10.30.8512  | ✓             |                      |
| GCC                     |           |             |               |                      |
| GCC Puma III/Jaguar IV  | 0         | 7.10.4451   |               | ✓                    |
| GCC Puma IV/Jaguar V    | 0         | 10.20.8137  |               | ✓                    |
| Graphtec                |           |             |               |                      |
| Graphtec (CE, FC)       | 0         | 5.00.2205   |               | ✓                    |
| Graphtec (FCX)          | 0         | 20.00.9157  |               |                      |
| HARMUTH                 |           |             |               |                      |
| HARMUTH                 | 1         | 7.20.4696   |               |                      |
| HP                      |           |             |               |                      |
| HP Latex Cutter Series  | 0         | 10.11.7662  |               | ✓                    |
| MCT Digital             |           |             |               |                      |
| MCT Digital TigerVision | 1         | 10.30.8518  |               |                      |
| MGE                     |           |             |               |                      |
| MGE i-cut               | 1         | 5.00.2522   |               |                      |
| Mimaki                  |           |             |               |                      |
| Mimaki CF2 Series       | 1         | 8.10.5622   |               | ✓                    |
| Mimaki CF22 Series      | 1         | 10.11.7671  |               | ✓                    |
| Mimaki CFL Series       | 1         | 9.03.6319   |               | ✓                    |
| Mimaki CG Series (FX,   | 0         | 5.00.700    |               | ✓                    |

| Dispositivo de corte         | Categoría | Liberado en | Apoyo híbrido | Soporte de CutServer |
|------------------------------|-----------|-------------|---------------|----------------------|
| FX II, SR II, SR III)        |           |             |               |                      |
| Mimaki CJV Series            | 0         | 5.00.2520   | ✓             |                      |
| Mimaki CJV150                | 0         | 8.10.5610   | ✓             |                      |
| Mimaki CJV300                | 0         | 8.10.5610   | ✓             |                      |
| Mimaki CJV300plus            | 0         | 10.34.8794  | ✓             |                      |
| Mimaki TPC                   | 0         | 8.00.5086   | ✓             |                      |
| Mimaki UCJV150               | 0         | 10.20.8131  | ✓             |                      |
| Mimaki UCJV300               | 0         | 10.20.8131  | ✓             |                      |
| MultiCam                     |           |             |               |                      |
| MultiCam                     | 1         | 5.00.2705   |               |                      |
| Mutoh                        |           |             |               |                      |
| Mutoh (Ultima, SC-Pro, Kona) | 0         | 5.00.500    |               |                      |
| Mutoh ValueCut               | 0         | 7.20.4697   |               | ✓                    |
| Primera                      |           |             |               |                      |
| Primera FX Series            | 0         | 10.10.7546  |               |                      |
| Roland                       |           |             |               |                      |
| Roland BN-20                 | 0         | 7.10.4346   | ✓             |                      |
| Roland CAMM-1 (GX-24, GS-24) | 0         | 6.30.3648   |               | ✓                    |
| Roland CAMM-1 GR Series      | 0         | 10.10.7625  |               | ✓                    |
| Roland CAMM-1 Pro (GX        | 0         | 6.30.3648   |               | ✓                    |

| Dispositivo de corte | Categoría | Liberado en | Apoyo híbrido | Soporte de CutServer |
|----------------------|-----------|-------------|---------------|----------------------|
| Large Format)        |           |             |               |                      |
| Roland CJ400-500     | 0         | 6.00.3000   | ✓             |                      |
| Roland CJ540         | 0         | 6.00.3000   | ✓             |                      |
| Roland CJ540 X       | 0         | 6.00.3000   | ✓             |                      |
| Roland LEC-300       | 0         | 6.00.3000   | ✓             |                      |
| Roland LEC-330       | 0         | 6.00.3066   | ✓             |                      |
| Roland LEC-540       | 0         | 6.10.3360   | ✓             |                      |
| Roland LEC2-300      | 0         | 10.33.8753  | ✓             |                      |
| Roland LEC2-330      | 0         |             | ✓             |                      |
| Roland LEC2-640      | 0         |             | ✓             |                      |
| Roland SC-545EX      | 0         | 6.00.3000   | ✓             |                      |
| Roland SC-545EXW     | 0         | 6.00.3000   | ✓             |                      |
| Roland SC540         | 0         | 6.00.3000   | ✓             |                      |
| Roland SC540 X       | 0         | 6.00.3000   | ✓             |                      |
| Roland SG-300        | 0         | 10.10.7594  | ✓             |                      |
| Roland SG-540        | 0         | 10.10.7594  | ✓             |                      |
| Roland SolJet        | 0         | 6.00.3000   | ✓             |                      |
| Roland SP-300        | 0         | 6.00.3000   | ✓             |                      |
| Roland SP-300i       | 0         | 8.00.5064   | ✓             |                      |
| Roland SP-540i       | 0         | 7.10.4492   | ✓             |                      |
| Roland SP-540V       | 0         | 6.00.3000   | ✓             |                      |

| Dispositivo de corte                       | Categoría | Liberado en | Apoyo híbrido | Soporte de CutServer |
|--|-----------|-------------|---------------|----------------------|
| Roland VG-540                              | 0         | 9.03.6368   | ✓             |                      |
| Roland VG-640                              | 0         | 9.03.6368   | ✓             |                      |
| Roland VG2-540                             | 0         | 10.31.8580  | ✓             |                      |
| Roland VG2-640                             | 0         | 10.31.8580  | ✓             |                      |
| Roland VP-300                              | 0         | 6.00.3000   | ✓             |                      |
| Roland VP-300i                             | 0         | 6.00.3000   | ✓             |                      |
| Roland VP-540                              | 0         | 6.00.3000   | ✓             |                      |
| Roland VP-540i                             | 0         | 6.00.3000   | ✓             |                      |
| Roland VS-300                              | 0         | 6.10.3360   | ✓             |                      |
| Roland VS-300i                             | 0         | 7.20.4750   | ✓             |                      |
| Roland VS-420                              | 0         | 6.10.3360   | ✓             |                      |
| Roland VS-540                              | 0         | 6.10.3360   | ✓             |                      |
| Roland VS-540i                             | 0         | 7.20.4750   | ✓             |                      |
| Roland VS-640                              | 0         | 6.10.3234   | ✓             |                      |
| Roland VS-640i                             | 0         | 7.20.4750   | ✓             |                      |
| Roland XC-540                              | 0         | 6.00.3000   | ✓             |                      |
| Roland XC-540MT                            | 0         | 6.10.3218   | ✓             |                      |
| Roland XR-640                              | 0         | 7.10.4451   | ✓             |                      |
| <b>Summa</b>                               |           |             |               |                      |
| Summa (S/S2 Class,<br>SummaSign, SummaCut) | 0         | 5.00.700    |               | ✓                    |

| Dispositivo de corte        | Categoría | Liberado en | Apoyo híbrido | Soporte de CutServer |
|-----------------------------|-----------|-------------|---------------|----------------------|
| Summa F Series              | 1         | 6.30.3682   |               |                      |
| Tiara                       |           |             |               |                      |
| Tiara SignMaker LP53        | 0         | 6.00.3000   | ✓             |                      |
| Tiara SolventJet CP52       | 0         | 6.00.3000   | ✓             |                      |
| Tiara SolventJet II SC540   | 0         | 6.00.3000   | ✓             |                      |
| Tiara SolventJet II SC540 X | 0         | 6.00.3000   | ✓             |                      |
| VHF                         |           |             |               |                      |
| VHF                         | 1         | 9.03.6310   |               |                      |
| VIP                         |           |             |               |                      |
| VIP Permasol-S              | 0         | 6.00.3000   | ✓             |                      |
| Zünd                        |           |             |               |                      |
| Zünd Cut Center             | 1         | 6.20.3468   |               |                      |
| Zünd Touch&Cut              | 1         | 5.00.2901   |               |                      |